

Fearing's Farm Nursery: Varieties available as of August 15, 2018
(Many are small and will be saleable only in late spring after first growth.)
(For about 40%, we have only one or two plants available.)

Clone	Name	Clone source	Clone comments
853	Azalea-Ben Morrison	April 95 Early show - Clay	
2687	Azalea-Girard's Pleasant White	FSRS sale 2017	
2688	Azalea-Johanna	FSRS sale 2017	
2146	Azalea-Wakaebisu	FSRS auction, June 2012, Clay	
2268	Azalea-deciduous yellow		Cuttings from McGiveron, from my clone #996, 1137, or 1257
1504	Blue Baron	Cannor Nursery	Mezitt hybrid
546	Brandywine	Cutting, fall 89, from TRIUMF	
1000	Cilpinense	Greenthumb Nursery	
539	Cinnkeys	VRS sale - G. Round	
547	Conroy	Cutting, fall 89, from TRIUMF	
793	Crater Lake	May show sale 1993 - Clay	
369	Egret		
132	Emasculum		
9668	Enkianthus deflexus	ARS-13-506	J.Nielsen, JN12174, 3200m, W. Yunnan, Lanping County, Mekong-Salween divide
9667	Enkianthus serrulatus	ARS-13-507	J.Nielsen, JN12415, 1300m, S.E. Hunan, Yizhang, Puge County, White fl form
154	Etta Burrows		
485	Goldilocks		
493	Hill's Bright Red		
737	Horizon Monarch	Elk Lake Nursery	
48	Hotei		
9654	Kalmia latifolia	ARS-11-495	Don Hyat, US, cw, Swain Co, NC, pink with red stripes
764	Mavis A. Davis	Bernie Nelson, Sedro Wooley	
165	May Day		Wider than tall
594	Mrs. Lammot Copeland	Elk Lake Nursery	
290	Olga Mezitt		cross of two forms of minus var. minus
569	Pepperpot	Elk Lake Nursery	
2109	R. aberconwayi	RSF-11-3722	RSF 1973/001 x 1964/015
2281	R. aganniphum (Maybe #520 R. agastum)	ARS-13-518	J.Nielsen, JN12097, 4300m, W. Sichuan, Yajiang County, thin indum, northern type
2045	R. alabamense	ARS-10-003	Ron Miller, US, cw Clarke Co. Alabama, tall plant
2627	R. alabamense	ARS-16-446	Ron Miller, FL, cw 31.66N 87.57W, Southwest Alabama
2499	R. albiflorum	HWF-14-02	cw, Manning Prov. Park, Oct, 2013
2068	R. albrechtii	ARS-09-182	Susumu Sato, Japan, cw
2382	R. ambiguum	ARS-13-522	J.Nielsen, JN12322, 2950m, Cent. Sichuan, Emeishan County, mostly 5-6 fls/truss
2435	R. amundsenianum	ARS-13-523	J.Nielsen, JN12304, 4100m, S. Sichuan, Mianning County, only 2nd known location
2522	R. amundsenianum	ARS-13-524	J.Nielsen, JN12321, 3950m, S. Sichuan, Puge County, from type location
1731	R. annae	RSF-06-2839	1999/429 x 1999/374
2306	R. anthosphaerum	ARS-13-526	J.Nielsen, JN12187, 3200m, Midwest Yunnan, Heging County
2111	R. arborescens	ARS-11-476	Don Hyatt, US, cw, Swain Co, NC
2538	R. arborescens	ARS-15-096	D. Hyatt, VA, cw Macon County, NC
2577	R. arborescens	ARS-15-400	K. Bernady, PA, cw Somerset Co, PA, collected from group of low growing plants
2630	R. arborescens	ARS-16-279	Joe Coleman, GA, cw, late
2631	R. arborescens	ARS-16-028	D. Jolley, cw, Tucker Co., W. Virginia
1944	R. arboreum (white)	ARS-08-440	R. Zimmerman, USA, from Tony Schilling cw seed x sibling

Fearing's Farm Nursery: Varieties available as of August 15, 2018
(Many are small and will be saleable only in late spring after first growth.)
(For about 40%, we have only one or two plants available.)

Clone	Name	Clone source	Clone comments
2301	R. arboreum ssp. cinnamomeum var cinnamoc	RSF-13-4296	1976/159 x 1999/538
2311	R. argipeplum	RSF-13-4189	1975/061 selfed
1052	R. argyrophyllum	ARS-94-127	P. Schaarup, Den., argyrophyllum 'Chinese Silver' x argyrophyllum
2472	R. argyrophyllum	RSF-13-4184	2002/310 x 2002/330
2218	R. arizelum	RHS-11-506, RHS12 seed	OJL 10-48 SBBE Bilouxueshan, Sewalongba Valley, Yunnan 3450m
2497	R. arizelum	ARS-14-804	Bengt Ernebjerg,Den,BE-12-06, cw MaDoi Mtns, NW Burma, 2700m
2316	R. asterochnoum	ARS-13-527	J.Nielsen, JN12058, 3100m, W.Sichuan, Baoxing County
2625	R. asterochnoum	RSF-14-4414	1998/634 x 1998/680
2650	R. asterochnoum	RSF-13-4255	1998/457 x 1998/680
2025	R. atlanticum	ARS-10-639	K. Bernady, US, cw Caroline Co. MD
2640	R. atlanticum	ARS-16-371	George McLellan Virginia, cw, Charles Co, VA
2221	R. augustinii	ARS-12-700	J.Nielsen, JN11013 S. Shaanxi 1900m
548	R. augustinii 'Bergie'	Cutting,fall 89,from TRIUMF	
549	R. augustinii 'Berkeley's Blue'	Cutting,fall 89,from TRIUMF	
1267	R. augustinii 'Cerulean Mist'	RSF spring 05 sale	RSBG selected form, RSBG#2004/145
1054	R. augustinii 'Exbury'	Finley	
644	R. augustinii 'Hobbie'	VRS sale - Clay	
1289	R. augustinii 'Jeans Favorite Blue'	Clay, 2005	Jean Rhodes favorite augustinii
1964	R. augustinii 'Lakamus Blue'		Langley Bot.Gard. sale 10/10, bought from Clay
1609	R. augustinii 'Lu Zhu'	FSRS mtg.Nov 07,Mike Bale	
1309	R. augustinii 'Ness' Best Blue'	Dorsey, VRS mtg, 11/05	
1685	R. augustinii ssp. augustinii 'Marine'	RSF Spring 2009 sale	RSF 2000/052, originated Bovee's nursery
1868	R. augustinii ssp. chasmanthum	RSF Spring 2010 sale	RSF 1969/092
2292	R. auriculatum	RSF-13-4372	1976/072 x 1967/698
946	R. auritum	RSF-96-007	65/269 x 84/048
2199	R. austrinum	ARS-12-481	T Milner US cw Pascagoula River WMA, Jackson Co MS,1½" orange bloom
2315	R. balangense	ARS-13-530	J.Nielsen, JN12019, 2650m, Cent.Sichuan, Wenchuan County
2371	R. balfourianum var. aganniphoides	ARS-13-531	J.Nielsen, JN12255, 4000m, S.W.Sichuan, Muli County
1790	R. barbatum	RSF-08-3151	RSF 2004/230 x 1965/304
2480	R. barbatum	ARS-14-858	T.Atkinson,UK, TDA273,cw Bersay Rhodo Sanctuary,2500m South Sikkim
2102	R. basilicum	ARS-11-532	R.Zimmerman,US, hp,basilicum RSF 97/215 x basilicum RSF 82/38
2489	R. basilicum	ARS-12-703	J.Nielsen, JN11056 W Yunnan 3300m
2495	R. beanianum	ARS-14-829	Bengt Ernebjerg,Den,BE-12-41, cw MaDoi Mtns, NW Burma, 3400-3500m
2569	R. beanianum or citriniflorum	RHS-13-451 RHS15 seed	Bengt Ernebjerg,Den,BE-12-45, Burma, N border with Arunachal Pradesh 34-3500m
2511	R. beanianum,(or pocophorum var. pocophoru	ARS-14-823	Bengt Ernebjerg,Den,BE-12-30, cw MaDoi Mtns, NW Burma, 3000m
2561	R. beesianum	RHS-12-284 RHS15 seed	J.Nielsen,JN12160, Midwest Yunnan,Jianchuan County, unusually broad lvs
2381	R. brachyanthum ssp. hypolepidotum	ARS-13-535	J.Nielsen, JN12136, 3000m, W.Yunnan, Weixi County, Mekong-Salween divide
2521	R. brachyanthum ssp. hypolepidotum	RHS-13-406,RHS14 seed	B.Ernebjerg,Den,BE-09-28,cw Burma,W border Arunachal Pradesh,3400m
2307	R. bracteatum	ARS-13-536	J.Nielsen, JN12020, 2650m, Cent.Sichuan, Wenchuan County
2510	R. bracteatum	RHS-12-214,RHS13 seed	J.Nielsen, JN12020,Central Sichuan,Wenchuen County,2650m
1785	R. bureavii	RSF-08-3178	RSF 1983/036 selfed
2485	R. bureavii	ARS-13-537	J.Nielsen, JN12214, 3900m, Midwest Yunnan, Eryuan County, western type
2361	R. bureavioides	ARS-13-541	J.Nielsen, JN12084, 3000m, W.Sichuan, Kangding County

Fearing's Farm Nursery: Varieties available as of August 15, 2018
(Many are small and will be saleable only in late spring after first growth.)
(For about 40%, we have only one or two plants available.)

Clone	Name	Clone source	Clone comments
1926	R. bureavioides aff. (sp. nova?)	ARS-09-537	J.Nielsen, SW China exp., S. Sichuan, 3800m
1945	R. burmanicum	RSF-09-3511	RSF 1999/095 selfed
2061	R. calendulaceum	ARS-10-714	D. Hyatt, US, cw near Engine Gap, Mitchill Co. NC, diverse population
2298	R. calendulaceum	ARS-12-503	Hyatt, cw Hooper Copper, Hooper Bald, Graham County, NC
2540	R. calendulaceum	ARS-15-414	D. Hyatt, VA, cw Mitchell County, NC, Roan #1 red
2548	R. calendulaceum	ARS-15-404	K. Bernady, PA, cw Mitchel Co, NC, from yellow flowered plants
2633	R. calendulaceum	ARS-16-352	Don Hyatt, Virginia, cw Graham Co, NC, FS-11-11, ruffled red
2532	R. calendulaceum 'Little Yellow'	ARS-15-100	D. Hyatt, VA, cw Mitchell County, NC, 'Little Yellow', compact yellow
2635	R. calendulaceum 'Roan Big Bird'	ARS-16-358	Don Hyatt, Virginia, cw Mitchell Co NC, yellow
2636	R. calendulaceum 'Roan Molten Lava'	ARS-16-360	Don Hyatt, Virginia, cw Mitchell Co NC, ruffled orange
2056	R. calendulaceum (seeds from yellow plant)	ARS-10-716	D. Hyatt, US, cw near Jane Bald, Mitchill Co. NC, golden yellow
781	R. callimorphum (RBG)	VRS Oct. sale - Martyn	
1921	R. calophytum var. openshawianum	RSF-09-3363	RSF 2000/170 x 1988/013
1390	R. calostrotum ssp. riparium	RSF spring 2006 sale	RSF 1969/779
2490	R. camelliiflorum	ARS-14-896	T. Atkinson, UK, TDA371, cw entrance to Singba, 3500m North Sikkim
2562	R. camelliiflorum	RHS-13-156 RHS15 seed	T. Atkinson, UK, TDA-369 Entrance to Singba, 3500m, North Sikkim
2559	R. campanulatum ssp. aeruginosum	ARS-06-456	H. Anderson, DK, Yabuk, Sikkim 4000m, BE45
2071	R. campanulatum ssp. campanulatum	RSF-10-3676	RSF 1976/198 x 1975/141
2503	R. campylocarpum	ARS-14-870	T. Atkinson, UK, TDA333, cw Yumthang, 3500-4000m North Sikkim
2505	R. campylocarpum ssp. caloxanthum	ARS-14-813	Bengt Ernebjerg, Den, BE-12-15, cw MaDoi Mtns, NW Burma, 3500m
2186	R. campylogynum (dwarf form)	Devon nursery 4/13	
2403	R. campylogynum (dwarf variety)	Purchased - Erica 2014	
712	R. campylogynum var. charoepum 'Patricia'	Elk Lake Nursery	
2289	R. canadense	ARS-13-443	W. Ostrom, N.S., cw Indian Harbor NS
2632	R. canadense alba	ARS-16-156	Walter Ostrom, Nova Scotia hp
1336	R. capitatum	ARS-04-607	J. Nielsen, cw, NW Sichuan, 3900m
2551	R. catawbiense	ARS-15-412	D. Hyatt, VA, cw Mitchell County, NC, 5500ft, lavender pink
2637	R. catawbiense	ARS-16-362	Don Hyatt, Virginia, cw Mitchell Co NC, 5500ft, lavender pink
1471	R. cerasinum 'Cherry Brandy'	RSF fall 2006 sale	RSF 1983/014 Berg
2305	R. cerasinum (mislabelled - R. x erythrocalyx?)	RHS-12-115, RHS13 seed	KR10681, Arunachal Pradesh, West Siang, Mechuka
928	R. chaetomallum	ARS-96-119	J. Sinclair, WA, Rock 34 x 661667
696	R. chartophyllum (= yunnanense)	Cutting, fall 89, from TRIUMF	
1056	R. cinnabarinum	ARS-97-extra	Seed from Auen Anderson, Scotland
2579	R. cinnabarinum ssp. xanthocodon	ARS-15-282	OJ Larsen, Norway, hp, selfed, good rich yellow
2001	R. cinnabarinum var. purpurellum	FVRS sale 4/11 Sue K	
2507	R. citriniflorum	ARS-14-830	Bengt Ernebjerg, Den, BE-12-42, cw MaDoi Mtns, NW Burma, 3400-3500m
2501	R. citriniflorum or dichroanthum	ARS-14-832	Bengt Ernebjerg, Den, BE-12-44, cw MaDoi Mtns, NW Burma, 3400-3500m
2319	R. clementinae	ARS-13-545	J. Nielsen, JN12164, 4000m, Midwest Yunnan, Jianchuan/Lanping County
973	R. coeloneuron	PW-22	Guizhou expedition 1994, 1425m
1773	R. coeloneuron	RSF-08-3212	RSF 1998/635 x 1998/661 (orig. labeled denudatum/corr. by RSF)
2638	R. colemanii	ARS-16-447	Ron Miller, FL, cw 31.66N 87.57W, Southwest Alabama
1359	R. columbianum	ARS-04-071	R. Craven, cw Lincoln Beach, Oregon
2024	R. complexum	ARS-10-679	J&R Nielsen, Den. NN0911 S NE Yunnan, 3700m

Fearing's Farm Nursery: Varieties available as of August 15, 2018
(Many are small and will be saleable only in late spring after first growth.)
(For about 40%, we have only one or two plants available.)

Clone	Name	Clone source	Clone comments
2565	R. concinnum or ambiguum	RHS-12-237 RHS15 seed	J.Nielsen,JN12080, West Sichuan,Luding County,2950m - fls not seen
2217	R. coriaceum	RHS-11-507, RHS12 seed	OJL 10-39 SBBE Bilouxueshan, Benggu pasture, Yunnan 3500m
2568	R. coriaceum	RHS-12-290 RHS15 seed	J.Nielsen,JN12175, West Yunnan,Lanping County,3200m,Mekong-Salween divide
2647	R. coriaceum	ARS-16-428	B. Ernebjerg, cw Yunnan, BE15-40, 3050m, Laowo Valley down from Niyainyobi Lk
2313	R. crinigerum	ARS-13-550	J.Nielsen, JN12145, 3300m, W. Yunnan, Weixi County, Mekong-Salween divide
2212	R. cumberlandense	ARS-12-519	K Bernady, cw Union Co, GA collected from a plant population of mixed colors
2363	R. cuneatum	ARS-13-551	J.Nielsen, JN12241, 3750m, N.W. Yunnan, Ninglang County
2555	R. cyanocarpum	ARS-15-158	R. Perriard,Den.,hp,cw in 1987 Cangshan,Yunnan x sister 2014
2317	R. danbaense aff.	ARS-13-554	J.Nielsen, JN12047, 3700m, W. Sichuan, Xiaojin County,(Berg's bureavioides)
706	R. davidsonianum 'Ruth Lyons'	Mandeville	
2237	R. davidsonianum aff	ARS-12-706	J.Neilsen, JN11038 NE Yunnan 3200m Quite compact, smaller broad dark scaled lv
552	R. davidsonianum white form	Cutting,fall 89,from TRIUMF	fragrant
2234	R. decorum aff.	ARS-12-707	J.Neilsen, JN11037 NE Yunnan 3200m. Compact round leaf type from top of mtn
1916	R. decorum ssp. diaprepes	RSF-09-3530	RSF 1975/104 x 1973/088
2041	R. decorum ssp. diaprepes	ARS-10-703	J&R Nielsen,Den.NN0937 S Sichuan 2800m
2101	R. decorum ssp. diaprepes	RSF-11-3710	RSF 1975/104 selfed
1932	R. degronianum ssp. heptamerum var. heptar	ARS-09-210	E.Yoshimura,Japan, pink, cw Pref. Nagasaki
2251	R. degronianum ssp. yakushmanum	RSF-12-3956	RSF 1975/260 x 1987/035
2232	R. delavayi	ARS-12-709	J.Neilsen, JN11040 Midwest Yunnan, 3200m. Near altitude limit of species
2051	R. denudatum	ARS-10-683	J&R Nielsen,Den.NN0908 S NE Yunnan, 3300m
2231	R. dichroanthum ssp. scyphocalyx	ARS-12-712	J.Neilsen, JN11057 W Yunnan 3300m
2641	R. dichroanthum ssp. scyphocalyx	ARS-16-403	B. Ernebjerg, cw Yunnan, BE15-05, 3600m, Niyainyobi Lake Camp
2539	R. dilatatum	ARS-15-334	E. Moser, Germany, cp selfed
2198	R. eastmanii	ARS-12-449	M Creel US hp
2346	R. eclecteum	ARS-13-567	J.Nielsen, JN12143, 3300m, W. Yunnan, Weixi County, Mekong-Salween divide
1776	R. eclecteum var. eclecteum	RSF-08-3147	RSF 1975/121 x 1994/017
1902	R. edgeworthii	RSF-06-2712	1995/239 selfed
2127	R. elegantulum	RSF-11-3651	RSF 1981/129 x 1975/142
2358	R. elegantulum	ARS-13-569	J.Nielsen, JN12240, 3750m, N.W. Yunnan, Ninglang County
2541	R. elliottii	ARS-15-765	T. Atkinson, UK, TDA-765, cw, Japfu ridge 1, 2500m, Mt Japfu, Nagaland
1735	R. erubescens	ARS-07-308	H.Eiberg, Denmark, ARS-03-183, selfed, cp, red blotch, syn oreodoxa var fargesii
2121	R. falconeri	RSF-11-3909	RSF 1981/079 selfed
2471	R. falconeri	ARS-14-863	T. Atkinson, UK, TDA286, cw Bersay Rhodo Sanctuary, 2500m South Sikkim
2515	R. falconeri	RHS-13-059, RHS14 seed	T. Atkinson, UK, TDA271, cw Bersay Rhodo Sanctuary, 2500m South Sikkim
2331	R. fastigiatum	ARS-13-571	J.Nielsen, JN12209, 3700m, Midwest Yunnan, Eryuan County
2537	R. faucium	ARS-15-224	R. Zimmerman, WA, hp from cw Timo La, Tibet, sibbed
1792	R. fictolacteum aff., (Clark)	ARS-08-656	A. Clark, UK, C&N5981, cw Jiaozi Xie Shan, Yunnan, 3200-3800m
2369	R. flavidum	ARS-13-575	J.Nielsen, JN12094, 3650m, W. Sichuan, Yajiang County
2328	R. floccigerum	ARS-13-576	J.Nielsen, JN12140, 3300m, W. Yunnan, Weixi County, Mekong-Salween divide
2534	R. fortunei	RSF-15-4628	1979/160 x 1973/113
2303	R. fortunei ssp. discolor	RSF-13-4337	1979/043 selfed
2115	R. fulvoides	ARS-11-533	R. Zimmerman, US, hp, fulvoides ACU Berry x fulvoides JN
960	R. fulvum	ARS-94-180	RSF 64/048 x 65/490

Fearing's Farm Nursery: Varieties available as of August 15, 2018
(Many are small and will be saleable only in late spring after first growth.)
(For about 40%, we have only one or two plants available.)

Clone	Name	Clone source	Clone comments
2349	R. fulvum	ARS-13-578	J.Nielsen, JN12207, 3600m, Midwest Yunnan, Eryuan County
2576	R. fulvum	RSF-13-4278	1991/088 x 1980/079
2380	R. fuyuanense	ARS-13-579	J.Nielsen, JN12347, 2400m, N.Cen.Yunnan, Qujing Co, new to cult.
2124	R. galactinum	RSF-11-3976	RSF 1979/110 selfed
2486	R. galactinum	ARS-13-580	J.Nielsen, JN12060, 3100m, W.Sichuan, Baoxing County
1934	R. glanduliferum	RSF-09-3531	RSF 1998/797 x 1998/795
2470	R. glanduliferum	RSF-13-4355	1998/780 x 1998/764
2278	R. glischrum	ARS-13-582	J.Nielsen, JN12176, 3300m, W.Yunnan, Lanping County,Mekong-Salween divide
585	R. glomerulatum (=yungningense)	Elk Lake Nursery	
2578	R. griffithianum	ARS-06-005	A.Kepert, Australia, hp, two clones
2125	R. haematodes	RSF-11-3697	RSF 1975/145 x 1970/043
116	R. haematodes 'Little Joe'		
1104	R. heliolepis	ARS-02-715	S. Hootman, 2001 Yunnan exped., DGEY#426
2652	R. heliolepis	ARS-16-405	B. Ernebjerg, cw Yunnan, BE15-08, 3800m, Laowo Valley, west side
1948	R. heliolepis var. fumidum	ARS-09-541	J.Nielsen, SW China exp., S. Sichuan, 3800m
1954	R. hemitrichotum	ARS-09-542	J.Nielsen, SW China exp., SW. Sichuan, 2800m
396	R. hippophaeoides 'Haba Shan'	From C. Bergthorson	
2444	R. hippophaeoides var. occidentale	ARS-13-587	J.Nielsen, JN12126, 2950m, W.Yunnan, Weixi County
1160	R. hirtipes	ARS-03-659	Ron Rabideau, cw SE Tibet, TARRVS-065, Sirchem La, 3839m
2118	R. hodgsonii	ARS-11-535	R.Zimmerman,US, hp, cw seed x sibling
2574	R. hodgsonii	ARS-15-198	H.Eiberg,Den.,hp, from Sikkim selfed, with black buds
2487	R. huanum (huanum)	RSF-14-4269	1999/484 x 1999/478
2533	R. huanum (huanum)	RSF-15-4606	1998/515 x 1998/464
2314	R. hunnewellianum	ARS-13-589	J.Nielsen, JN12017, 2050m, Cent.Sichuan, Wenchuan County
1123	R. hunnewellianum ssp. hunnewellianum	ARS-03-2039	RSF 2000, 66/575 x 84/150
2208	R. hunnewellianum ssp. rockii	RHS-11-140, RHS12 seed	Neilsen, JN11008 Light yellowish indumentum. SE Gansu 2000m
2294	R. hylaeum	ARS-13-592	J.Nielsen, JN12135, 3000m, W.Yunnan, Weixi County, Mekong-Salween divide
2337	R. hylaeum	RHS-12-265,RHS13 seed	J.Nielsen, JN12135,West Yunnan,Weixi County,3000m
2202	R. hypoglucum	ARS-12-721	J.Nielsen, JN11021 S.E. Shaanxi 1900m
2209	R. hypoleucum 'Teshio'	RHS-11-055, RHS12 seed	B Starling,op but does not cross
1906	R. insigne	RSF-08-3311	RSF 1981/132 x 1976/162
1180	R. intermedium	ARS-01-843	Erhard Moser, Germany - cw Dolomites, Italy
2440	R. intricatum	ARS-13-594	J.Nielsen, JN12267, 4200m, S.W.Sichuan, Jiulong County
2042	R. irroratum	ARS-10-687	J&R Nielsen,Den.NN0946 S Sichuan 1900m
1397	R. irroratum 'Spatter Paint'	RSF spring 2006 sale	RSF 1964/222
2203	R. irroratum ssp pogonostylum,	ARS-12-723	J.Nielsen, JN11073 SW Yunnan 2700m
1398	R. irroratum ssp. yiliangense	RSF spring 2006 sale	RSF 481sd1996 SEH143
2134	R. johnstoneanum	RSF-09-3452	RSF 430sd2003 selfed
2259	R. keiskei	ARS-12-006	I Toyoji, cw Takasaki, Gunma, Japan
2545	R. kesangiae	RSF-15-4601	1991/067 x 1995/050
2201	R. kyawi	ARS-12-724	J.Nielsen, JN11066 W Yunnan 3000m
1762	R. lanatum	ARS-06-570	Per Houbak, DK, Hooker's form x another clone
2133	R. lanatum	ARS-10-625	P.Houbak,Den,hp (cw Sikkim ARS) x (Hookers form RF 262-93) selfed

Fearing's Farm Nursery: Varieties available as of August 15, 2018
(Many are small and will be saleable only in late spring after first growth.)
(For about 40%, we have only one or two plants available.)

Clone	Name	Clone source	Clone comments
2200	R. laxiflorum	ARS-12-725	J.Neilsen, JN11079 W Central Yunnan 2700m. R annae ssp laxiflorum
1329	R. ledebourii (R. dauricum ssp. ledebourii)	ARS-04-593	E.Chernykh, Russia,Altay Exp.03,#10,mossy,wet forest,Seyma River
389	R. lepidostylum	From C. Bergthorson	
2207	R. leptothrium	ARS-12-726	J.Neilsen, JN11077 SW Yunnan 2800m
2036	R. liliiflorum	ARS-10-689	J&R Nielsen,Den.NN0958 SW Guizhou 1850m
2362	R. lukiangense	ARS-13-605	J.Nielsen, JN12128, 2500m, W.Yunnan, Weixi County, Mekong-Salween divide
2553	R. lukiangense	RHS-12-260,RHS13 seed	J.Nielsen, JN12128,West Yunnan,Weixi County,2500m,Mekong-Salween divide
2077	R. lutescens	ARS-10-691	J&R Nielsen,Den.NN0935 S Sichuan 2600m
574	R. lysolepis	Elk Lake Nursery	
2117	R. macabeanum	RSF-11-3887	RSF 1977/046 x 1975/052
2547	R. macabeanum	ARS-15-772	T.Atkinson,UK,TDA-772,cw,Japfu ridge 2, 3000m, Mt Japfu, Nagaland
1327	R. maculiferum	ARS-04-608	J. Nielsen, cw, E. Chongqing 2200m
2206	R. maculiferum	ARS-12-727	J.Neilsen, JN11024 NE Chongqing 2400m
2040	R. magniflorum	ARS-10-692	J&R Nielsen,Den.NN0959 SW Guizhou 1750m
1752	R. makinoi	RSF-06-2878	1974/131 x 1977/057
2197	R. makinoi	RSF-13-4095	1997/144 selfed
2151	R. mallotum	RSF-11-3830	RSF 1876/150 x 1966/557
2544	R. manipurense	ARS-15-767	T.Atkinson,UK,TDA-768,cw,Japfu ridge 2, 3000m, Mt Japfu, Nagaland
1561	R. maximum	ARS-05-407	F. Pelurie,US, cw Cheat Bridge, WV
2108	R. meddianum var. atrokermesinum	RHS-10-101, RHS11 seed	KR10081, Arunachal Pradesh,Anjaw district, Krang Ti Camp 3078m
2543	R. meddianum var. atrokermesinum	RHS-13-423 RHS15 seed	Bengt Ernebjerg,Den,BE-12-08, Burma, north border with Arunachal Pradesh 3000m
2572	R. mekongense	ARS-15-157	R. Perriard,Den.,cw 2014 Biluo Xuesan,Yunnan, 3900m
2580	R. mekongense	ARS-15-286	OJ Larsen, Norway, hp, selfed, hardy clone
2437	R. mianningense	ARS-13-607	J.Nielsen, JN12300, 4050m, S.Sichuan, Mianning County, new to cult.
848	R. micranthum	Whitney, March 1995	Orig. label was R. microphyton
1747	R. minus (Coleman's form)	ARS-06-760	John Thornton, US cw Henry Co.Ala.,lt.pink fls/orange blotch,tight 3 in.truss
2691	R. minus var. carolinianum (orig vaseyi , #209	ARS-10-734	D. Hyatt,US, cw Haywood Co. NC, mixed with vaseyi seeds
1760	R. minus var. chapmanii	ARS-06-762	John Thornton, US cw Gulf Co FL
2642	R. minus var. minus 'smokianum'	ARS-16-368	Don Hyatt,Virginia, cw Sevier Co, TN, lavender pink to purple, small, late
1744	R. molle ssp. japonicum	RSF-06-2879	1998/168 x 1998/239
1764	R. moupinense	RHS-05-001, RHS07 seed	Glendoick, white, hardier new collection
2074	R. moupinense	RSF-10-3555	RSF 1979/131 x 1997/090
2496	R. mucronulatum	ARS-14-399	K. Theqvist, cw Seoraksan Mountains, 1250-1280 m, South Korea
2466	R. mucronulatum var. ciliatum	ARS-14-400	K. Theqvist, cw Jirisan Mountains, 1400-1500 m, South Korea
1367	R. myrtifolium	ARS-04-088	O. J. Larsen, Norway
2384	R. neriiflorum	ARS-13-610	J.Nielsen, JN12178, 3200m, W.Yunnan, Lanping County, Mekong-Salween divide
2286	R. nitidulum	ARS-13-611	J.Nielsen, JN12089, 3750m, W.Sichuan, Kangding County
762	R. obtusum amoenum	Whitney	
2626	R. occidentale 'Divide 3210'	ARS-16-212	M. McCullough, CA, cw Low Divide Rd, Del Norte Co,pink/white stripe,orange flare
2644	R. occidentale 'Patrick's Point 2301'	ARS-16-221	M. McCullough, CA, cw, white/pink
2509	R. occidentale 'Patrick's Point 2604'	ARS-14-346	M. McCullough,CA cw Patrick's Point SP,Humboldt Co.CA
2498	R. occidentale 'Stagecoach 1901'	ARS-14-355	M. McCullough,CA cw Stagecoach Hill,Humboldt Co.CA
2477	R. ochraceum	RSF-13-4281	1998/636 x 2004/292

Fearing's Farm Nursery: Varieties available as of August 15, 2018
(Many are small and will be saleable only in late spring after first growth.)
(For about 40%, we have only one or two plants available.)

Clone	Name	Clone source	Clone comments
2069	R. oligocarpum	RSF-10-3690	RSF 1996/075 x 1996/078
1955	R. orbiculare	RSF-09-3509	RSF 1994/411 x 1999/038
2097	R. orbiculare	RSF-11-3692	RSF 1873/205 x 1974/043
1170	R. oreodoxa	ARS-03-752	Alan Clark, AC-4065, 3900m, Muge Che, Kanding, SW Sichuan
2285	R. oreodoxa	ARS-13-617	J.Nielsen, JN12281, 3400m, S.Sichuan, Mianning County
2629	R. oreodoxa	RSF-13-4206	1982/152 x 1980/121
806	R. oreotrepes (blue leaf var.)	Whitney - Sept. 93	
2566	R. pachypodium	RHS-12-297 RHS15 seed	J.Nielsen, JN12193, Midwest Yunnan, Eryuan County, 2450m
906	R. pachysanthum	ARS-93-280	Cox, white x pale
1801	R. pachysanthum	RSF-08-3238	RSF 1993/043 x 1996/106
2536	R. pachysanthum	RSF-15-4571	1996/006 x 1997/103
1339	R. pachytrichum	ARS-04-190	R. Zimmerman, US, RBG Edinburgh, selfed
2367	R. pachytrichum	ARS-13-622	J.Nielsen, JN12057, 3300m, W.Sichuan, Baoxing County
2575	R. periclymenoides	ARS-06-749	Karel Bernady, US, cw Chester Co. PA
2144	R. petrocharis	FSRS auction, June 2012	RSF 2002/106 GUIZ-120
1942	R. phaeochrysum	ARS-09-547	J.Nielsen, SW China exp., S Sichuan, 3900m
2554	R. pilosum (Syn. Menziesia pilosa)	ARS-15-288	OJ Larsen, Norway, op
2095	R. pingianum	RSF-11-3975	RSF 190/252 x 1979/161
2473	R. planetum	ARS-14-488	E.Moser, Germany, hp
918	R. polylepis	From Finley, 2/97	
2119	R. praeevernum	RSF-11-3571	RSF 1982/008 x 1966/563
1342	R. praeevernum (RSF)	ARS-04-2016	RSF 2002
2159	R. primuliflorum 'Doker La'	Sue K, VRS 9/12 bought	
1069	R. principis	ARS-95-334	J. Sinclair, WA, Borde Hill, selfed
1958	R. prinophyllum	ARS-09-070	S. Dean, US, cw Armenia Mt., PA, 5 mi. S Troy, PA, plants 8-10' high
2639	R. proteoides	ARS-16-092	C. Staune, Denmark, proteoides 'Select' x proteoides R151
1030	R. pruniflorum	ARS-01-839	Erhard Moser, Germany
1725	R. prunifolium	ARS-06-764	John Thornton, US cw Henry Co. Ala.
2643	R. prunifolium	ARS-16-270	Joe Coleman, GA, cw Southwest Georgia
2034	R. qiaojaense	ARS-10-694	J&R Nielsen, Den.NN0903 S NE Yunnan, 2800m
1363	R. racemosum 'Forrest dwarf form'	ARS-04-138	A. J. Blee, New Zealand
2060	R. rex	ARS-10-696	J&R Nielsen, Den.NN0942 S Sichuan 3000m
2492	R. rex	RHS-11-162, RHS12 seed	J.Nielsen, JN11084 Disjunct SW population. W Central Yunnan 2900m
1920	R. rex ssp. fictolacteam	RSF-09-3494	RSF 1975/158 x 1977/548
2073	R. rex ssp. rex	RSF-10-3695	RSF 1975/118 x 1976/081
536	R. rigidum 'Bodinieri'	VRS sale - Dorsey	Very fragrant
1720	R. ririei	RSF-06-2682	1990/085 x 1975/013
2230	R. ririei	RSF-12-3560	RSF 1965/454 x 1984/120
2324	R. rothschildii	RSF-13-4262	2001/073 x 1975/182
2660	R. roxieanum var. cucullatum	ARS-16-401	B. Ernebjerg, cw Yunnan, BE15-01, 3600m, Niyainyobi Lake Camp
1953	R. rubiginosum	ARS-09-549	J.Nielsen, SW China exp., Yunnan-Sichuan border, 3700m
1098	R. rupicola	ARS-00-251	J.Nielsen, Glendoick, Scotland, JN962, 3750m, usually plum purple
2390	R. rupicola	ARS-13-643	J.Nielsen, JN12157, 3700m, Mid.W. Yunnan, Jianchuan County

Fearing's Farm Nursery: Varieties available as of August 15, 2018
(Many are small and will be saleable only in late spring after first growth.)
(For about 40%, we have only one or two plants available.)

Clone	Name	Clone source	Clone comments
307	<i>R. saluenense</i>		
535	<i>R. saluenense</i> ssp. <i>chameunum</i>	VRS sale - Dorsey	
2320	<i>R. sanguineum</i> ssp. <i>didymum</i>	ARS-13-324	R.Perriard,Denmark,HP,Cox form selfed
297	<i>R. sargentianum</i>	VRS sale-Dorsey	
1732	<i>R. schlippenbachii</i>	ARS-06-568	Jes Hansen, DK, light pink with good autumn color
2107	<i>R. schlippenbachii</i>	RSF-11-4027	RSF 1987/016 selfed
607	<i>R. scintillans</i>	VRS sale, Dorsey	
1779	<i>R. searsiae</i>	ARS-08-229	O.J.Larsen,Norway, selfed
2354	<i>R. selense</i> ssp. <i>dasycladum</i>	ARS-13-646	J.Nielsen, JN12153, 3600m, Mid.W.Yunnan, Jianchuan County
1939	<i>R. selense</i> ssp. <i>selense</i>	ARS-09-137	B.Ranheim/R.A.Nielsen exp.R&N142, Beima Xue Shan,NW Yunnan,3714m
2535	<i>R. semibarbatum</i>	RSF-15-4370	1988/631 selfed
2342	<i>R. sikangense</i>	ARS-13-647	J.Nielsen, JN12295, 3550m, S.Sichuan, Mianning County
2318	<i>R. sikangense</i> <i>cookeanum</i>	ARS-13-649	J.Nielsen, JN12262, 3550m, S.W.Sichuan, Jiulong County
2567	<i>R. sikangense</i> var. <i>exquisitum</i>	RHS-12-371 RHS15 seed	J.Nielsen,JN12354,North-central Yunnan, Luquan County,broader,shorter lvs
2248	<i>R. sinofalconeri</i>	RHS-11-334, RHS12 seed	CWT6336 En route to Fan Si Pan from Tran Son Pass. 2600m.
2474	<i>R. sinofalconeri</i>	RSF-14-4293	2000/157 x 1998/688
2070	<i>R. smirnowii</i>	RSF-10-3719	RSF 1976/376 x 1983/191
1894	<i>R. souliei</i>	RSF-08-3294	RSF 1977/663 x 1976/245
1950	<i>R. souliei</i>	ARS-09-550	J.Nielsen, SW China exp., S Sichuan, 3800m
2308	<i>R. sp. Fortunea</i> sp. nov ?	ARS-13-658	J.Nielsen, JN12417, 1700m, S.E.Hunan, Yizhang County
2087	<i>R. sp. Lapponica</i> (<i>nivale</i> ssp. <i>boreale</i> ?)	ARS-09-138	B.Ranheim/R.A.Nielsen exp.R&N026, Beima Xue Shan,NW Yunnan,4411m
2147	<i>R. sp. Lapponica</i> (<i>tapetiforme</i> ?)	ARS-09-140	Ranheim/Nielsen,NW Yunnan,R&N 069,4378m, N28 20.009 E 099 04.600
2662	<i>R. sp. Lapponica/Pogonanthum</i>	ARS-16-410	B. Ernebjerg, cw Yunnan, BE15-13, 3950m, Laowo Valley, west side
2254	<i>R. sp. Subsect. Irrorata</i>	ARS-12-749	J.Nielsen, JN11087 W Central Yunnan 2500m, very hairy leaf margin, new?
2377	<i>R. sp. Subsect. Thomsonia</i> cf. <i>hookeri</i> NEW?	RHS-12-053,RHS13 seed	KR10491,Arunachal Pradash,West Siang,Mechuka
2288	<i>R. sp. Subsect. Triflora</i>	ARS-12-746	J.Nielsen, JN11010 SE. Shaanxi 2100m,sim to ARS-12-745 except long ciliate calyx
1938	<i>R. sphaeroblastum</i> var. <i>wumengense</i>	ARS-09-551	J.Nielsen, SW China exp., S. Sichuan, 3900m
2300	<i>R. stamineum</i>	ARS-13-663	J.Nielsen, JN12395, 800m, S.W.Jiangxi, Jinggangshan County
2126	<i>R. stewartianum</i>	RHS-10-113, RHS11 seed	KR10027, Arunachal Pradesh,Anjaw district, AA5 3950m
2546	<i>R. stewartianum</i>	ARS-15-723	T.Atkinson,UK,TDA-723,cw, 3500-3900m, Anjaw dist., Arunachal Pradesh
2646	<i>R. stewartianum</i>	ARS-16-434	B. Ernebjerg, cw Yunnan, BE15-48, 3350m, around base camp
677	<i>R. strigillosum</i>	Whitney Gardens	
2374	<i>R. strigillosum</i>	RSF-13-4035	1984/047 x 1977/627
2443	<i>R. succothii</i> ?	RHS-12-054,RHS13 seed	KR10492,Arunachal Pradash,West Siang,Mechuka
1917	<i>R. sutchuenense</i>	RSF-09-3417	RSF 1979/205 x 1969/816
2229	<i>R. sutchuenense</i>	RHS-11-171, RHS12 seed	Neilsen, JN11023 NE Chongqing 2300m, First recoll from this area in many years
1532	<i>R. sutchuenense</i> var. <i>geraldii</i>	ARS-05-504	P. Houbak, Denmark, selfed, cp
2353	<i>R. taliense</i>	ARS-13-664	J.Nielsen, JN12166, 4000m, Midwest Yunnan, Jianchuan/Lanping County
2088	<i>R. tapetiforme</i>	ARS-09-139	B.Ranheim/R.A.Nielsen exp.R&N050, Beima Xue Shan,NW Yunnan,4478m
2050	<i>R. tatsienense</i>	ARS-10-702	J&R Nielsen,Den.S Sichuan 3000m NN0941
2483	<i>R. tephropeplum</i>	RSF-14-4465	2008/093 x 2008/056
2076	<i>R. thomsonii</i>	RSF-10-3657	RSF 1994/106 x 1967/716
2378	<i>R. thymifolium</i>	ARS-13-669	J.Nielsen, JN12095, 3650m, W.Sichuan, Yajiang County

Fearing's Farm Nursery: Varieties available as of August 15, 2018
(Many are small and will be saleable only in late spring after first growth.)
(For about 40%, we have only one or two plants available.)

Clone	Name	Clone source	Clone comments
2634	R. tomentosum	ARS-16-317	J.Saarinen, Finland, cw Phitipudas, Liitonjarvi
1103	R. trichostomum	ARS-00-281	J.Nielson,Glendoick,Scotland, JN944, 3100m
2228	R. triflorum var. multiflorum	RHS-11-174, RHS12 seed	Neilsen, JN11085 W Central Yunnan 2900m,New,5-6fls,rough non-peeling bark
2256	R. triflorum var. multiflorum	ARS-12-754	J.Neilsen, JN11085 W Central Yunnan 2900m,New,5-6fls,rough non-peeling bark
2267	R. tsaii	ARS-12-755	J.Neilsen, JN11034 NE Yunnan 3000m,New to cult,true sp,not hippophaeoides aff.
2023	R. tschonoskyi	ARS-10-427	T. Ishizaki, Japan, cw Gunma
2035	R. vaseyi	ARS-10-585	John Brown, US, cw High Hampton,NC 3000ft
2052	R. vaseyi	ARS-10-733	D. Hyatt,US, cw Transylvania Co. NC, diverse population, blush to strong pink
2099	R. vaseyi	ARS-10-734	D. Hyatt,US, cw Haywood Co. NC, diverse population, blush to strong pink
2653	R. vaseyi	ARS-16-369	Don Hyatt,Virginia, cw 5500ft, Hayward Co, NC
1937	R. vernicosum	ARS-09-552	J.Nielsen, SW China exp., Yunnan-Sichuan border, 3600m
2512	R. wardii	RSF-13-4291	1967/721 x 2003/387
2284	R. wardii (var. puralbum ?)	ARS-13-677	J.Nielsen, JN12272, 4000m, S.W.Sichuan, Jiulong County
2500	R. wightii	ARS-14-866	T.Atkinson,UK, TDA314,cw Yumthang, 3500-4000m North Sikkim
2484	R. wiltonii	ARS-13-682	J.Nielsen, JN12326, 2500m, Cent.Sichuan, Emeishan County, normal indumentum
108	R. xanthocodon FCC		FCC form
2309	R. xichangense	ARS-13-684	J.Nielsen, JN12265, 3600m, S.W.Sichuan, Jiulong County, new to cult.
2491	R. yedoense var. poukhanense	ARS-14-397	K. Theqvist, cw Jirisan Mountains, Guryong valley, 300 m, South Korea
2482	R. yuefengense	RSF-14-4487	2008/387 x 2008/453
2493	R. yuefengense	RSF-14-4488	2008/453 x 2008/387
2560	R. yuefengense	RSF-15-4639	2008/246 x 2008/438
1960	R. yunnanense	ARS-09-141	B.Ranheim/R.A.Nielsen exp.R&N158, Beima Xue Shan,NW Yunnan,3509m
562	R. yunnanense var. suberosum	Cutting,fall 89,from TRIUMF	
1772	R. zekoense	ARS-04-615	J. Nielsen, cw, S. Qinghai, 4100m, probably first introduction
1308	Razorbill	Dorsey, VRS mtg, 11/05	
315	Royal Purple		
376	Seattle Springtime	Elk Lake Nursery	
759	September Song	Whitney	
592	Silver Skies	Cedar Hill Nursery	
411	St. Merryn	Elk Lake Nursery	
733	Teddy Bear	Elk Lake Nursery	Grown by Briggs Nursery, ARS Journal 46 p 42
595	Vibrant Violet	Elk Lake Nursery	
1263	Yunncinn	Elk Lake Nursery 9/01	
1809	brachycarpum ssp. tigerstedtii x rothschildii	ARS-08-380	K.Theqvist,Finland, ssp. tigerstedtii x rothschildii RSF 1975/182, cp
1941	brachycarpum ssp. tigerstedtii x thomsonii	ARS-09-302	K. Theqvist, Finland, thomsonii is RSF 1967/716, cp
757	yakushmanum x tsariense (Berg)	Whitney	